TABLE C.1 HUMAN HEALTH CONCEPTUAL SITE MODEL OPERABLE UNIT 1 PARCELS SOUTH DAYTON DUMP AND LANDFILL SITE MORAINE, OHIO

| CE | release nechanism | SECONDARY SOURCE | release mechanism | TERTIARY SOURCE | release mechanish | EXPOSURE ROUTE | RECEPTOR CHARACTERIZATION | | | | | | | | | | | |
|-------------------------------------|---|--|--|------------------------------------|-------------------|---|--|--|------------------|-----------|---------|--|----|--------------------------------------|---|--|-------|---|
| | | | | | | | POTENTIALLY EXPOSED RECEPTORS (HUMAN HEALTH - BASELINE CONDITIONS) | | | | | | | | | | | |
| | | | | | | | Residents [1] | OU1 Parcel Site Tempo Workers Work | rary Trespassers | Residents | Site Te | ding Quarry Pond) emporary Trespasse Workers | | 2 Quarry Pond ry Trespassers s | Residents | Off-site properties Temporary Trespa Workers | ssers | GMR / floodp Recreation Ter users W |
| L | direct contact | | | | | INCIDENTAL INGESTION DERMAL CONTACT | 33 | X X | X | × | X | X | na | na | X | x | | X |
| | waste decomposition/ volatilization | LANDFILL / SUBSURFACE GAS | subsurface migration | INDOOR AIR | | INHALATION OF VAPORS (and accumulation of explosive gas) | | х | | % | X | | | - | X | | | |
| | | / VAPOR | discharge to atmcsphere | AMBIENT AIR | d'spersion | INHALATION OF VAPORS | ::: | X | X | | X | X X | X | Х | X | x x | | X |
| | volatilization/ wind erosion | AMBIENT AIR/ | | | | INHALATION OF VAPORS/ PARTICULATES INCIDENTAL INGESTION | ::: | X X | x | | X | Х | X | X | X | X | | X |
| | | FUGITIVE DUST | dispersion/deposition | | | DERMAL CONTACT | | | | | | | | | | | | |
| | storm water runoff | SURFACE WATER i.e., intermittent drainage pathways SEDIMENTS | direct contact | | | INCIDENTAL INGESTION DERMAL CONTACT | | X | X | () | X | X X | | - | × | X X | | ¥ |
| | | i.e., intermittent drainage pathways | direct contact | | | INCIDENTAL INGESTION DERMAL CONTACT | | x x | X | | Х | X X | | | X | X X | | X |
| | | PONDS i.e., existing | water circulation | SURFACE WATER | direct contact | INCIDENTAL INGESTION DERMAL CONTACT INHALATION OF VAPORS | ## | X X | X | | na | na na | na | na | na | na na | 1 | na |
| _ | storm water runoff | intermittent ponds | sedimentation | SEDIMENT | direct contact | INCIDENTAL INGESTION DERMAL CONTACT INHALATION OF VAPORS | | Хх | X | | na | na na | na | na | na | na na | 1 | na |
| | | GDOUNDLYATED | recharge to gw | GROUNDWATER see below | | | | *** | | | | | | | | | | |
| | infltration / leaching | GROUNDWATER | migration to water wells | | | INGESTION DERMAL CONTACT INHALATION OF VAPORS | 11.11 | | | | | | | - | X | | | |
| | | | migrati on/discharge | SURFACE WATER Quarry Pond | direct contact | INCIDENTAL INGESTION DERMAL CONTACT INHALATION OF VAPORS | na na | na na | na | na | na | na na | × | X | na | na na | 1 | na |
| | | | migration/dischange | SURFACE WATER Great Miami River | direct contact | INCIDENTAL INGESTION DERMAL CONTACT INHALATION OF VAPORS | na | na na | na | na | na | na na | na | na | na | na na | 1 | X |
| | | | volatilization and subsurface migration | INDOOR AIR | | INHALATION OF VAPORS | | | | | | | | - | *************************************** | | | |
| | | | volati ization to atmosphere | AMBIENT AIR | d'spersion | INHALATION OF VAPORS | L \$ | X | X | | X | X X | | - | <u> </u> | X X | | X |
| | | | direct contact | GROUNDWATER | direct contact | INGESTION DERMAL CONTACT INHALATION OF VAPORS | | x x | X | () | X | X X | | - | X | X X | | X |
| not ap Respoi potent pathw | oplicable due to spatial sep- ondents intend to put institu Itially complete exposure p- vay to be addressed as part | z, due to absence of exposure route ai aration utional controls, in the torm of an envir athway to be evaluated/addressed as p of vapor intrusion studies (and subject athway to be evaluated for OUZ | ionmental covenant in place for OL2 part of OU1 | | se. | | | | | | | | | | | | | |

TABLE C.2 HUMAN HEALTH CONCEPTUAL SITE MODEL OPERABLE UNIT 2 PARCELS SOUTH DAYTON DUMP AND LANDFILL SITE MORAINE, OHIO

PRIMARY SOURCE release mechanism SECONDARY SOURCE release mechanism TERTIARY SOURCE release mechanism EXPOSURE ROUTE RECEPTOR CHARACTERIZATION POTENTIALLY EXPOSED RECEPTORS (HUMAN HEALTH - BASELINE CONDITIONS) Site Temporary Trespasser Workers Site Temporary Trespasser Workers Workers Temporary Trespasser Residents Temporary Trespasser Recreation Temporary Workers SURFACE AND SUBSURFACE х х х х х NCIDENTAL INGESTION X na na na ANDFILL CONTENTS (within DERMAL CONTACT OU2 Parcels) subsurface migration INDOOR AIR (and accumulation of explosive gas) UBSURFACE GAS INHALATION OF VAPORS cischarge to atmosphere AMBIENT AIR VAPOR X X x x x x x x x x x x Х AMBIENT AIR/ INHALATION OF VAPORS/ volatilization/ x x x x x x x x PARTICULATES NCIDENTAL INGESTION wind erosion UGITIVE DUST DERMAL CONTACT SURFACE WATER e., intermittent DERMAL CONTACT storm water runoff drainage pathways EDIMENTS e., intermittent drainage pathways DERMAL CONTACT QUARRY POND RFACE WATER INCIDENTAL INGESTION DERMAL CONTACT IHALATION OF VAPORS storm water runoff INCIDENTAL INGESTION ERMAL CONTACT INHALATION OF VAPORS GROUNDWATER infiltration / leaching GROUNDWATER migration to water wells ERMAL CONTACT INHALATION OF VAPORS INCIDENTAL INGESTION SURFACE WATER DERMAL CONTACT Quarry Pond NHALATION OF VAPORS INCIDENTAL INGESTION SURFACE WATER X X DERMAL CONTACT Great Miami River INHALATION OF VAPORS INHALATION OF VAPORS INDOOR AIR volatilization and subsurface migration AMBIENT AIR INHALATION OF VAPORS volatilization to atmosphere GROUNDWATER DERMAL CONTACT NHALATION OF VAPORS LEGEND incomplete exposure pathway e.g., due to absence of exposure route and/or receptor not applicable due to spatial separation Respondents intend to put institutional controls, in the form of an environmental covenant in place for OU2, which would restrict residential use.

CRA 038443 (19)

potentially complete exposure pathway to be evaluated/addressed as part of OU1

potentially complete exposure pathway to be evaluated for OU2

mpathway to be addressed as part of vapor intrusion studies (and subject to OU2 groundwater assessment for off-site areas).

TABLE C.3 ECOLOGICAL CONCEPTUAL SITE MODEL OPERABLE UNIT 1 AND 2 PARCELS SOUTH DAYTON DUMP AND LANDFILL SITE MORAINE, OHIO

| PRIMARY SOURCE | release mechanism | SECONDARY SOURCE | release mechanism TERTIARY SOURCE release mecha | anism EXPOSURE ROUTE | RECEPTOR CHARACTERIZATION POTENTIALLY EXPOSED RECEPTORS (ECOLOGICAL / HUMAN HEALTH - BASELINE CONDITIONS) | | | | | | | | | | | |
|--|-------------------|----------------------------|---|----------------------|--|----------|----------------------------------|-----|--------------|----|--------------|----|---------------------------------|----|--|--|
| | | | | | OU1 P Terrestrial Biota | | OU2 Parce (excluding Quarry P | ls | OU2 Quarry F | | Off-site pro | | Great N Terrestrial Biota | | odplain Humans that consume fish | |
| SURFACE LANDFILL CONTENTS (within OU1 Parcels) | direct contact | | | INGESTION | x | X | na | na | na na | na | na | na | na | na | na | |
| | plant uptake | VEGETATION | direct contact | INGESTION | X | X | na | na | na na | na | na | na | na | na | na | |
| | stormwater runoff | SURFACE WATER AND SEDIMENT | direct contact | INGESTION | X | X | (a) | (a) | (a) (a) | | X | X | X | X | | |
| | | | direct contact AQUATIC ORGANISMS | INGESTION | x | X | (a) | (a) | (a) (a) | | × | X | X | × | × | |
| | | | | | | | | | | | | | | | | |
| SURFACE LANDFILL CONTENTS (within OU2 Parcels) | direct contact | | | INGESTION | na | na | × | | X | | na | na | na | na | na | |
| | plant uptake | VEGETATION | direct contact | INGESTION | na | na | X | | X | | na | na | na | na | na | |
| | stormwater runoff | SURFACE WATER AND SEDIMENT | direct contact | INGESTION | (a) | (a) | X | X | | | X | X | X | X | | |
| | | | direct contact AQUATIC ORGANISMS | INGESTION | (a) | (a) | × | X | | | X | X | X | x | X | |
| | stormwater runoff | QUARRY | direct contact | INGESTION | na | na | na | na | X | | na | na | na | na | na | |
| | and infiltration | POND | direct contact AQUATIC ORGANISMS | INGESTION | na | na | na | na | x x | × | na | na | na | na | na | |

LEGEND

- incomplete exposure pathway e.g., due to absence of exposure route and/or receptor
- not applicable due to spatial separation
- na (a) potential cross-boundary effects between OU1 Parcels and OU2 Parcels will be considered in the OU2 RI/FS
- X potentially complete exposure pathway to be evaluated/addressed as part of OU1
 X potentially complete exposure pathway to be evaluated for OU2

CONCEPTUAL SITE MODEL NOTES OPERABLE UNIT 1 AND 2 PARCELS SOUTH DAYTON DUMP AND LANDFILL SITE MORAINE, OHIO

Notes

- 1 OU1 includes the following parcels:
 - Parcel 5054 (Valley Asphalt)
 - Parcels 5171, 5172, 5173, 5174, 5175, 5176 (Boesch and Grillot)
 - Parcel 5177 including road easement but excluding water and submerged portions of the Quarry Pond (Boesch and Grillot)
 - Parcel 3278, 3058, 3057, and 3056 including embankments [owned by the MCD] onto which waste extends
 - Part of Parcel 5178 containing north Quarry Pond embankment (Boesch and Grillot)

Collectively, these parcels comprise the presumptive remedy area (PRA).

- OU2 includes the following areas or media, which are not part of OU1:
 - Landfill material, surface and subsurface soil, groundwater, and air outside the OU1 Area attributable to historic Site operations
 - Parcel 3274 and parts of Parcels 5177 and 5178 not addressed in OU1, including submerged portions of the Quarry Pond
 - Portions of Parcel 3275 upon which waste has been placed (owned by MCD)
 - Parcels 3753, 4423, 4610, and 3252, including active businesses along the southeast portion of the Site
 - Shallow groundwater (i.e., nominally at elevations above 675 feet above mean sea level [ft AMSL]), outside the OU1 Area
 - Deeper groundwater (i.e., nominally at elevations below 675 ft AMSL), outside the OU1 Area
 - Leachate outside the OU1 Area (e.g., the floodplain area between the Site and the GMR
 - Landfill gas (LFG) and soil vapor outside the OU1 Area
 - Surface water and sediment outside the OU1 Area (e.g., in the Quarry Pond and in the GMR adjacent to and downstream of the Site)
 - Air outside the OU1 Area

[1] The MCD defines a floodplain as a strip of relatively flat and normally dry land alongside a stream, river or lake that is covered by water during a flood. The floodplain area between the Site and the GMR is not the same as the 10C-year floodway and 100-year floodplain areas at the Site based on Federal Emergency Management Agency (FEMA) flood insurance maps, which are more extensive than the MCD definition.